


## Blå/Grå Munstycken P/N 782900

<i>PGP Ultra / I-20 Blå Standardmunstycke Prestandadata Metric</i>								
	Munstycke		Tryck	Radie	Flöde	Precip mm/hr		
	bar	kPa	m	m <sup>2</sup> /hr	l/min	■	▲	
<b>1.5</b>	Blå	1.7	170	8.8	0.27	4.5	7	8
		2.0	200	9.1	0.29	4.8	7	8
		2.5	250	9.4	0.32	5.4	7	8
		3.0	300	9.8	0.35	5.9	7	9
		3.5	350	9.8	0.38	6.4	8	9
		4.0	400	9.8	0.41	6.8	9	10
		4.5	450	9.4	0.43	7.2	10	11
<b>2.0</b>	Blå	1.7	170	10.1	0.32	5.4	6	7
		2.0	200	10.1	0.35	5.8	7	8
		2.5	250	10.1	0.39	6.5	8	9
		3.0	300	10.4	0.43	7.2	8	9
		3.5	350	10.4	0.47	7.8	9	10
		4.0	400	10.4	0.50	8.3	9	11
		4.5	450	10.4	0.53	8.8	10	11
<b>2.5</b>	Blå	1.7	170	10.1	0.39	6.6	8	9
		2.0	200	10.4	0.43	7.1	8	9
		2.5	250	10.7	0.48	8.0	8	10
		3.0	300	10.7	0.54	8.9	9	11
		3.5	350	10.7	0.58	9.7	10	12
		4.0	400	10.7	0.62	10.4	11	13
		4.5	450	10.7	0.66	11.1	12	13
<b>3.0</b>	Blå	1.7	170	10.7	0.50	8.4	9	10
		2.0	200	10.7	0.54	9.1	10	11
		2.5	250	11.0	0.61	10.2	10	12
		3.0	300	11.6	0.68	11.4	10	12
		3.5	350	11.9	0.74	12.3	10	12
		4.0	400	11.9	0.79	13.2	11	13
		4.5	450	11.9	0.84	14.0	12	14
<b>4.0</b>	Blå	1.7	170	11.3	0.68	11.3	11	12
		2.0	200	11.6	0.73	12.2	11	13
		2.5	250	11.9	0.81	13.6	12	13
		3.0	300	12.2	0.90	15.0	12	14
		3.5	350	12.2	0.97	16.2	13	15
		4.0	400	12.5	1.04	17.3	13	15
		4.5	450	12.5	1.10	18.3	14	16
<b>5.0</b>	Blå	1.7	170	11.3	0.84	14.0	13	15
		2.0	200	11.6	0.91	15.2	14	16
		2.5	250	11.9	1.02	17.1	15	17
		3.0	300	12.8	1.14	19.0	14	16
		3.5	350	12.8	1.24	20.6	15	17
		4.0	400	12.8	1.32	22.1	16	19
		4.5	450	12.8	1.41	23.4	17	20
<b>6.0</b>	Blå	1.7	170	11.6	1.01	16.8	15	17
		2.0	200	11.9	1.09	18.2	15	18
		2.5	250	12.2	1.22	20.4	16	19
		3.0	300	13.1	1.36	22.7	16	18
		3.5	350	13.1	1.47	24.5	17	20
		4.0	400	13.4	1.57	26.2	18	20
		4.5	450	13.4	1.67	27.9	19	21
<b>8.0</b>	Blå	1.7	170	11.3	1.35	22.5	21	25
		2.0	200	11.9	1.46	24.3	21	24
		2.5	250	12.5	1.63	27.2	21	24
		3.0	300	13.4	1.81	30.2	20	23
		3.5	350	13.7	1.95	32.6	21	24
		4.0	400	14.0	2.09	34.8	21	25
		4.5	450	14.0	2.22	36.9	23	26



## Svart Kort Radie Munstycken P/N 466100

<i>PGP ULTRA / I-20 Svart Kort Radie Munstycke Prestandadata</i>						Metric	
Munstycke	Tryck		Radie	Flöde		Precip mm/hr	
	bar	kPa		m <sup>3</sup> /hr	l/min	■	▲
<b>.50 SR Svart</b>	1.7	170	4.9	0.07	1.2	6	7
	2.0	200	5.2	0.08	1.3	6	7
	2.5	250	5.2	0.09	1.5	7	8
	3.0	300	5.2	0.10	1.7	8	9
	3.5	350	5.5	0.12	1.9	8	9
	4.0	400	5.5	0.13	2.1	8	10
	4.5	450	5.5	0.14	2.3	9	10
<b>1.0 SR Svart</b>	1.7	170	4.9	0.16	2.7	14	16
	2.0	200	5.2	0.17	2.9	13	15
	2.5	250	5.2	0.19	3.2	14	17
	3.0	300	5.2	0.21	3.6	16	18
	3.5	350	5.5	0.23	3.8	15	18
	4.0	400	5.5	0.25	4.1	16	19
	4.5	450	5.5	0.26	4.3	17	20
<b>2.0 SR Svart</b>	1.7	170	4.9	0.28	4.7	24	27
	2.0	200	5.2	0.31	5.2	23	27
	2.5	250	5.2	0.36	6.0	27	31
	3.0	300	5.2	0.41	6.9	31	35
	3.5	350	5.5	0.45	7.6	30	35
	4.0	400	5.5	0.49	8.2	33	38
	4.5	450	5.5	0.53	8.9	35	41
<b>.75 SR Svart</b>	1.7	170	6.7	0.12	2.0	5	6
	2.0	200	7.0	0.13	2.2	5	6
	2.5	250	7.0	0.15	2.4	6	7
	3.0	300	7.3	0.16	2.7	6	7
	3.5	350	7.6	0.17	2.9	6	7
	4.0	400	7.6	0.19	3.1	6	7
	4.5	450	7.6	0.20	3.3	7	8
<b>1.5 SR Svart</b>	1.7	170	6.7	0.23	3.8	10	12
	2.0	200	7.0	0.25	4.1	10	12
	2.5	250	7.0	0.28	4.6	11	13
	3.0	300	7.3	0.31	5.2	12	13
	3.5	350	7.6	0.34	5.6	12	13
	4.0	400	7.6	0.36	6.0	12	14
	4.5	450	7.6	0.39	6.4	13	15
<b>3.0 SR Svart</b>	1.7	170	6.7	0.53	8.9	24	27
	2.0	200	7.0	0.56	9.3	23	26
	2.5	250	7.0	0.60	10.0	24	28
	3.0	300	7.3	0.64	10.7	24	28
	3.5	350	7.6	0.67	11.2	23	27
	4.0	400	7.6	0.70	11.7	24	28
	4.5	450	7.6	0.73	12.1	25	29

PGP ULTRA / I-20 Grå Låg Vinkel Munstycke Prestandadata Metric

Munstycke	Tryck		Radié m	Flöde		Precip mm/hr	
	bar	kPa		m <sup>3</sup> /hr	l/min	■	▲
<b>2.0 LA</b>  Grå	1.7	170	7.3	0.33	5.6	12	14
	2.0	200	7.6	0.36	6.0	12	14
	2.5	250	7.9	0.40	6.7	13	15
	3.0	300	8.2	0.45	7.4	13	15
	3.5	350	8.5	0.48	8.0	13	15
	4.0	400	8.8	0.52	8.6	13	15
	4.5	450	9.1	0.55	9.1	13	15
<b>2.5 LA</b>  Grå	1.7	170	7.9	0.44	7.3	14	16
	2.0	200	8.2	0.47	7.9	14	16
	2.5	250	8.8	0.53	8.8	14	16
	3.0	300	9.4	0.59	9.8	13	15
	3.5	350	10.1	0.64	10.6	13	15
	4.0	400	10.4	0.68	11.3	13	15
	4.5	450	10.7	0.72	12.0	13	15
<b>3.5 LA</b>  Grå	1.7	170	8.5	0.58	9.7	16	18
	2.0	200	8.8	0.62	10.3	16	18
	2.5	250	9.1	0.68	11.4	16	19
	3.0	300	10.1	0.75	12.5	15	17
	3.5	350	10.7	0.80	13.3	14	16
	4.0	400	11.0	0.85	14.1	14	16
	4.5	450	11.3	0.89	14.8	14	16
<b>4.0 LA</b>  Grå	1.7	170	8.2	0.71	11.8	21	24
	2.0	200	8.8	0.76	12.7	19	23
	2.5	250	9.1	0.84	14.1	20	23
	3.0	300	10.1	0.93	15.5	18	21
	3.5	350	10.7	1.00	16.6	18	20
	4.0	400	11.0	1.06	17.6	18	20
	4.5	450	11.3	1.12	18.6	18	20

PGP Ultra / I-20 Gröna Högt Flöde Munstycke Prestandadata *Metric*

Munstycke	Tryck		Radié m	Flöde		Precip mm/hr	
	bar	kPa		m <sup>3</sup> /hr	l/min	■	▲
<b>10</b> Mörk Grön	1.7	170	10.7	1.48	24.6	26	30
	2.0	200	11.9	1.60	26.7	23	26
	2.5	250	12.5	1.80	30.0	23	27
	3.0	300	12.8	2.01	33.5	25	28
	3.5	350	13.1	2.18	36.3	25	29
	4.0	400	13.7	2.34	39.0	25	29
	4.5	450	14.0	2.49	41.5	25	29
<b>13</b> Mörk Grön	1.7	170	11.0	1.91	31.9	32	37
	2.0	200	12.2	2.08	34.6	28	32
	2.5	250	12.8	2.34	38.9	29	33
	3.0	300	13.1	2.61	43.4	30	35
	3.5	350	13.4	2.83	47.1	31	36
	4.0	400	13.7	3.03	50.5	32	37
	4.5	450	14.0	3.23	53.8	33	38
<b>6.0</b> <b>LA</b> Mörk Grön	1.7	170	9.1	0.86	14.3	21	24
	2.0	200	9.4	0.94	15.6	21	24
	2.5	250	10.1	1.07	17.8	21	24
	3.0	300	10.7	1.20	20.0	21	24
	3.5	350	11.3	1.31	21.9	21	24
	4.0	400	11.6	1.42	23.6	21	24
	4.5	450	11.9	1.52	25.3	21	25
<b>8.0</b> <b>LA</b> Mörk Grön	1.7	170	10.1	1.17	19.5	23	27
	2.0	200	10.7	1.28	21.3	22	26
	2.5	250	11.3	1.44	24.0	23	26
	3.0	300	11.6	1.61	26.9	24	28
	3.5	350	11.9	1.76	29.3	25	29
	4.0	400	12.5	1.89	31.5	24	28
	4.5	450	12.5	2.01	33.6	26	30



PGP ULTRA / I-20 Blå Standardmunstycke Prestandadata Metric

Munstycke	Tryck PSI	Radie ft.	Flöde GPM	Precip mm/hr	
				■	▲
<b>1.5</b> Blå	25	29	1.2	0.27	0.32
	35	31	1.4	0.28	0.32
	<b>45</b>	<b>31</b>	<b>1.5</b>	<b>0.30</b>	<b>0.35</b>
	55	32	1.8	0.34	0.39
	65	32	1.9	0.36	0.41
<b>2.0</b> Blå	25	33	1.4	0.25	0.29
	35	33	1.7	0.30	0.35
	<b>45</b>	<b>34</b>	<b>2.0</b>	<b>0.33</b>	<b>0.38</b>
	55	34	2.1	0.35	0.40
	65	32	2.3	0.43	0.50
<b>2.5</b> Blå	25	33	1.7	0.30	0.35
	35	35	2.1	0.33	0.38
	<b>45</b>	<b>35</b>	<b>2.5</b>	<b>0.39</b>	<b>0.45</b>
	55	35	2.6	0.41	0.47
	65	35	2.9	0.46	0.53
<b>3.0</b> Blå	25	35	2.2	0.35	0.40
	35	36	2.7	0.40	0.46
	<b>45</b>	<b>38</b>	<b>3.0</b>	<b>0.40</b>	<b>0.46</b>
	55	39	3.4	0.43	0.50
	65	39	3.7	0.47	0.54
<b>4.0</b> Blå	25	37	3.0	0.42	0.49
	35	39	3.5	0.44	0.51
	<b>45</b>	<b>40</b>	<b>4.0</b>	<b>0.48</b>	<b>0.56</b>
	55	41	4.5	0.52	0.60
	65	41	4.8	0.55	0.63
<b>5.0</b> Blå	25	37	3.7	0.52	0.60
	35	39	4.5	0.57	0.66
	<b>45</b>	<b>42</b>	<b>5.0</b>	<b>0.55</b>	<b>0.63</b>
	55	42	5.7	0.62	0.72
	65	42	6.2	0.68	0.78
<b>6.0</b> Blå	25	38	4.3	0.57	0.66
	35	40	5.6	0.67	0.78
	<b>45</b>	<b>43</b>	<b>6.0</b>	<b>0.62</b>	<b>0.72</b>
	55	44	6.7	0.67	0.77
	65	44	7.3	0.73	0.84
<b>8.0</b> Blå	25	37	6.0	0.84	0.97
	35	41	7.0	0.80	0.93
	<b>45</b>	<b>44</b>	<b>8.0</b>	<b>0.80</b>	<b>0.92</b>
	55	46	9.0	0.82	0.95
	65	46	9.8	0.89	1.03

# BEVATTNINGSTEKNIK®

PGP Ultra / I-20 Svart Kort Radie Munstycke Prestandadata (18'/25')

Metric

Munstycke	Tryck PSI	Radie ft.	Flöde GPM	Precip mm/hr	
				■	▲
<b>.50</b> <b>SR</b> Svart	30	17	0.36	0.24	0.28
	40	17	0.43	0.29	0.33
	<b>50</b>	<b>18</b>	<b>0.50</b>	<b>0.30</b>	<b>0.34</b>
	60	19	0.57	0.30	0.35
<b>1.0</b> <b>SR</b> Svart	30	17	0.78	0.52	0.60
	40	17	0.90	0.60	0.69
	<b>50</b>	<b>18</b>	<b>1.00</b>	<b>0.59</b>	<b>0.69</b>
	60	19	1.10	0.59	0.68
<b>2.0</b> <b>SR</b> Svart	30	17	1.40	0.93	1.08
	40	17	1.70	1.13	1.31
	<b>50</b>	<b>18</b>	<b>2.00</b>	<b>1.19</b>	<b>1.37</b>
	60	19	2.20	1.17	1.35
<b>.75</b> <b>SR</b> Svart	30	23	0.58	0.21	0.24
	40	24	0.68	0.23	0.26
	<b>50</b>	<b>25</b>	<b>0.75</b>	<b>0.23</b>	<b>0.27</b>
	60	26	0.83	0.24	0.27
<b>1.5</b> <b>SR</b> Svart	30	23	1.10	0.40	0.46
	40	24	1.30	0.43	0.50
	<b>50</b>	<b>25</b>	<b>1.50</b>	<b>0.46</b>	<b>0.53</b>
	60	26	1.60	0.46	0.53
<b>3.0</b> <b>SR</b> Svart	30	23	2.50	0.91	1.05
	40	24	2.70	0.90	1.04
	<b>50</b>	<b>25</b>	<b>3.00</b>	<b>0.92</b>	<b>1.07</b>
	60	26	3.10	0.88	1.02

# BEVATTNINGSTEKNIK®

## PGP Ultra/I-20 Grå Låg Vinkel Munstycke Prestandadata Metric

Munstycke	Tryck	Radie	Flöde	Precip mm/hr	
	PSI	ft.	GPM	■	▲
<b>2.0</b> <b>LA</b> Grå	30	25	1.6	0.49	0.57
	40	27	1.9	0.50	0.58
	50	28	2.1	0.52	0.60
	60	30	2.3	0.49	0.57
<b>2.5</b> <b>LA</b> Grå	30	27	2.1	0.55	0.64
	40	30	2.5	0.53	0.62
	50	33	2.8	0.49	0.57
	60	35	3.0	0.47	0.54
<b>3.5</b> <b>LA</b> Grå	30	29	2.8	0.64	0.74
	40	32	3.1	0.58	0.67
	50	35	3.5	0.55	0.64
	60	37	3.8	0.53	0.62
<b>4.5</b> <b>LA</b> Grå	30	29	3.4	0.78	0.90
	40	32	3.9	0.73	0.85
	50	35	4.4	0.69	0.80
	60	37	4.7	0.66	0.76







PGP Ultra/I-20 Gröna Högt Flöde Munstycke Prestandadata Metric

Munstycke	Tryck	Radie	Flöde	Precip mm/hr	
	PSI			ft.	GPM
<b>10</b> Mörk Grön	40	42	8.4	0.92	1.06
	50	43	9.5	0.99	1.14
	<b>60</b>	<b>45</b>	<b>10.5</b>	<b>1.00</b>	<b>1.15</b>
	70	47	11.4	0.99	1.15
<b>13</b> Mörk Grön	40	43	10.9	1.13	1.31
	50	44	12.3	1.22	1.41
	<b>60</b>	<b>45</b>	<b>13.6</b>	<b>1.29</b>	<b>1.49</b>
	70	47	14.8	1.29	1.49
<b>6.0</b> <b>LA</b> Mörk Grön	30	31	4.2	0.84	0.97
	40	35	5.0	0.79	0.91
	<b>50</b>	<b>37</b>	<b>5.8</b>	<b>0.82</b>	<b>0.94</b>
	60	39	6.3	0.80	0.92
<b>8.0</b> <b>LA</b> Mörk Grön	40	37	6.7	0.94	1.09
	50	39	7.7	0.97	1.13
	<b>60</b>	<b>41</b>	<b>8.5</b>	<b>0.97</b>	<b>1.12</b>
	70	41	9.2	1.05	1.22







PGP Ultra/I-20 MPR-25 Röd Munstycke Prestandadata

Metric





Munstycke	Tryck		Radie	Flöde		Precip mm/hr	
	bar	kPa		m	m <sup>3</sup> /hr	l/min	■
<b>90°</b>  Röd	1.7	170	7.0	0.17	3.0	13.7	15.8
	2.4	240	7.3	0.20	3.6	14.9	17.3
	3.1	310	7.6	0.23	3.6	15.6	18.1
	3.8	380	7.6	0.25	4.2	17.4	20.1
	4.5	450	7.6	0.27	4.8	18.9	21.9
<b>120°</b>  Röd	1.7	170	7.0	0.23	3.6	13.9	16.0
	2.4	240	7.3	0.27	4.8	15.4	17.8
	3.1	310	7.6	0.31	5.4	16.2	18.7
	3.8	380	7.6	0.35	6.0	18.0	20.7
	4.5	450	7.6	0.38	6.6	19.6	22.6
<b>180°</b>  Röd	1.7	170	7.0	0.33	5.4	13.3	15.4
	2.4	240	7.3	0.39	6.6	14.7	17.0
	3.1	310	7.6	0.45	7.2	15.5	17.9
	3.8	380	7.6	0.50	8.4	17.3	20.0
	4.5	450	7.6	0.55	9.0	18.9	21.8
<b>360°</b>  Röd	1.7	170	7.0	0.63	10.8	12.8	14.8
	2.4	240	7.3	0.76	12.6	14.2	16.4
	3.1	310	7.6	0.87	14.4	14.9	17.3
	3.8	380	7.6	0.97	16.2	16.6	19.2
	4.5	450	7.6	1.05	17.4	18.1	20.9

# BEVATTNINGSTEKNIK®

PGP Ultra/I-20 MPR-30 Ljus Grön Munstycke Prestandadata Metric





Munstycke	Tryck		Radié m	Flöde		Precip mm/hr	
	bar	kPa		m <sup>3</sup> /hr	l/min	■	▲
<b>90°</b>  Ljus Grön	1.7	170	8.8	0.23	3.6	12.0	13.8
	2.4	240	9.1	0.28	4.8	13.4	15.4
	3.1	310	9.1	0.32	5.4	15.2	17.6
	3.8	380	9.1	0.35	6.0	17.0	19.6
	4.5	450	9.1	0.38	6.6	18.4	21.2
<b>120°</b>  Ljus Grön	1.7	170	8.8	0.30	4.8	11.7	13.5
	2.4	240	9.1	0.37	6.0	13.2	15.2
	3.1	310	9.1	0.42	7.2	15.1	17.4
	3.8	380	9.1	0.47	7.8	16.8	19.4
	4.5	450	9.1	0.51	8.4	18.3	21.1
<b>180°</b>  Ljus Grön	1.7	170	8.8	0.49	8.4	12.5	14.4
	2.4	240	9.1	0.59	9.6	14.1	16.2
	3.1	310	9.1	0.67	11.4	16.1	18.6
	3.8	380	9.1	0.75	12.6	17.9	20.7
	4.5	450	9.1	0.82	13.8	19.6	22.6
<b>360°</b>  Ljus Grön	1.7	170	8.8	0.96	16.2	12.3	14.2
	2.4	240	9.1	1.15	19.2	13.8	15.9
	3.1	310	9.1	1.31	21.6	15.7	18.1
	3.8	380	9.1	1.45	24.0	17.4	20.0
	4.5	450	9.1	1.57	26.4	18.8	21.7

PGP Ultra/I-20 MPR-35 Beige Munstycke Prestandadata Metric

Munstycke	Tryck		Radié m	Flöde		Precip mm/hr	
	bar	kPa		m <sup>3</sup> /hr	l/min	■	▲
<b>90°</b>  Beige	1.7	170	9.8	0.32	5.4	13.4	15.4
	2.4	240	10.4	0.38	6.6	14.1	16.3
	3.1	310	10.7	0.44	7.2	15.3	17.7
	3.8	380	10.7	0.48	7.8	17.0	19.6
	4.5	450	10.7	0.52	9.0	18.4	21.3
<b>120°</b>  Beige	1.7	170	9.8	0.40	6.6	12.7	14.6
	2.4	240	10.4	0.49	8.4	13.6	15.8
	3.1	310	10.7	0.56	9.6	14.7	17.0
	3.8	380	10.7	0.62	10.2	16.4	18.9
	4.5	450	10.7	0.68	11.4	17.9	20.7
<b>180°</b>  Beige	1.7	170	9.8	0.62	10.2	13.1	15.2
	2.4	240	10.4	0.76	12.6	14.1	16.3
	3.1	310	10.7	0.87	14.4	15.2	17.6
	3.8	380	10.7	0.96	16.2	16.9	19.5
	4.5	450	10.7	1.05	17.4	18.4	21.3
<b>360°</b>  Beige	1.7	170	9.8	1.22	20.4	12.8	14.8
	2.4	240	10.4	1.50	25.2	14.0	16.2
	3.1	310	10.7	1.72	28.8	15.1	17.5
	3.8	380	10.7	1.91	31.8	16.8	19.4
	4.5	450	10.7	2.09	34.8	18.3	21.2





## PGP Ultra/I-20 MPR-30 Ljus Grön Munstycke Prestandadata

Metric

Munstycke	Tryck	Radie	Flöde	Precip mm/hr	
	PSI			ft.	GPM
<b>90°</b>  Ljus Grön	25	29	1.03	0.47	0.54
	35	30	1.23	0.53	0.61
	45	30	1.40	0.60	0.69
	55	30	1.56	0.67	0.77
	65	30	1.69	0.72	0.83
<b>120°</b>  Ljus Grön	25	29	1.34	0.46	0.53
	35	30	1.62	0.52	0.60
	45	30	1.85	0.59	0.69
	55	30	2.06	0.66	0.76
	65	30	2.24	0.72	0.83
<b>180°</b>  Ljus Grön	25	29	2.15	0.49	0.57
	35	30	2.59	0.55	0.64
	45	30	2.96	0.63	0.73
	55	30	3.30	0.71	0.82
	65	30	3.60	0.77	0.89
<b>360°</b>  Ljus Grön	25	29	4.24	0.49	0.56
	35	30	5.08	0.54	0.63
	45	30	5.78	0.62	0.71
	55	30	6.39	0.68	0.79
	65	30	6.92	0.74	0.85

# BEVATTNINGSTEKNIK

PGP Ultra/I-20 MPR-35 Beige Munstycke Prestandadata Metric

Munstycke	Tryck PSI	Radie ft.	Flöde GPM	Precip mm/hr	
				■	▲
<b>90°</b>  Beige	25	32	1.40	0.53	0.61
	35	34	1.67	0.56	0.64
	45	35	1.92	0.60	0.70
	55	35	2.13	0.67	0.77
	65	35	2.31	0.73	0.84
<b>120°</b>  Beige	25	32	1.77	0.50	0.58
	35	34	2.15	0.54	0.62
	45	35	2.46	0.58	0.67
	55	35	2.74	0.65	0.75
	65	35	2.99	0.70	0.81
<b>180°</b>  Beige	25	32	2.75	0.52	0.60
	35	34	3.33	0.55	0.64
	45	35	3.81	0.60	0.69
	55	35	4.23	0.66	0.77
	65	35	4.62	0.73	0.84
<b>360°</b>  Beige	25	32	5.36	0.50	0.58
	35	34	6.62	0.55	0.64
	45	35	7.58	0.60	0.69
	55	35	8.43	0.66	0.76
	65	35	9.18	0.72	0.83




Fig. 1





Fig. 2




Fig. 3




Fig. 4